T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

B-0231-CR-K-F10

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



Product Specifications:

8" Wall Mount Mixing Faucet, Quarter-Turn Cerama Cartridges w/ Check Valves, Lever Handles, 12" Swing Nozzle w/ 1.0 GPM Aerator, Installation Kits & (2) 24" Flexible Supply Hoses

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) EPA WaterSense

Drawn: CDS Checked: KJG Approved: JHB Date: 03/14/23 Scale: 1:6 Sheet: 1 of 2

Tes

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

B-0231-CR-K-F10

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

11470101011	201, 00. 000 470 4100 Cirili Valley, 071. 000 42			WWW.toBraco.com
		ITEM NO.	SALES NO.	DESCRIPTION
		1	B-0199-01-F10	1.0 GPM Aerator, 55/64-27 UN Female
		2	009538-45	Swivel Washer
		3	011429-45	Swivel Sleeves (2)
		4	001074-45	O-Ring
		5	018506-19NS	Blue Button Index, Press-in
		6	000925-45	Lab Handle Screw
		7	012447-25NS	Quarter-Turn Cerama Cartridge w/ Check Valve, Handle, Blue Index & Screw, LTC
		8	012395-25NS	Quarter-Turn Cerama Cartridge w/ Check Valve, LTC
		9	001019-45	Coupling Nut Washer
		10	00AA	1/2" NPT Female Eccentric Flange
		11	000999-45	Brass Lock Washer
		12	B-0230-K	Short Elbow Installation Kit
		13	002954-45	Shank Lock Nut
	18 4	14	B-0230-KIT	Short El Installation Kit w/ (2) Hoses
		15	012446-25NS	Quarter-Turn Cerama Cartridge w/ Check Valve, Handle, Red Index & Screw, RTC
		16	012394-25NS	Quarter-Turn Cerama Cartridge w/ Check Valve, RTC
		17	001638-45NS	Lever Handle (New Style)
		18	001193-19NS	Red Button Index, Press-in
		19	014200-45	Star Washer, Anti-Rotation
	16 19 19		(5) (6) (7) (8) (10) (9)	13
	8			
<u> </u>				

Product Specifications:

8" Wall Mount Mixing Faucet, Quarter-Turn Cerama Cartridges w/ Check Valves, Lever Handles, 12" Swing Nozzle w/ 1.0 GPM Aerator, Installation Kits & (2) 24" Flexible Supply Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) EPA WaterSense

Drawn: CDS Checked: KJG Approved: JHB Date: 03/14/23 Scale: NTS Sheet: 2 of 2