T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3142-HG

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

<u> </u>		• •			
	ChekPoint™		This Spa	ace for Architect/Engineer Ap	proval
<u> </u>			Job Name		Date
ADA Compliant	Ø2 1/2"	Cold	Model Specifi	ied	_Quantity
	[64mm]		Customer/Wh	nolesaler	
	11		Contractor		
		Hot	Architect/Eng	ineer	
		Cast Spout w/ 2.2 GPM [8.3 L/n Vandal Resistant	nin] : Aerator.	4 15/16" [126mm]	-
Internal Above D Electronics w/ Fl Control Setting S Optional DC Pov 6 V Lithium Batte	ow Switches. ver w/	Temperature Mix w/ Color Coded I (Optional Plug In Replace Handle V Temperature is F	ndex cluded to When	5" [128mm]	6 3/8" [163mm]
Removable Anti-Rotation Pin		Mounting			0.
And Roldford III		Surface		<u> </u>	
	13/16" 21mm]	- 18" [457mm] Flex Stainless Steel St Hoses	apply I	Plug Inst Water Te	/ Optional alled When emperature
Optional 100-240 \ Adapter w/ 72" [18 Power Cord		w/	Filter Wash Hydro-Gene No Battery o		(Included)
		© C	heck Valve / 3/8" Comp	ression	
Rough-In Requirem \emptyset 1 1/4" [32mm] Mo \emptyset 3/16" [5mm] Anti-	unting Hole	,	9/16-24 UN)	iniets	
Product Specifications:	Above Deak Electri	onice Faucot Single Hele I	Dock	Product Compliance:	
Mount, Cast Spout, 2	.2 GPM VR Aerator,	onics Faucet, Single Hole I , Point-of-Use Temperature el Flexible Supply Hoses 8	e Control,	ASME A112.18.1 / CSA B12 NSF 61 - Section 9 NSF 372 (Low Lead Conten ANSI A117.1 (ADA)	

UL 1951

Scale:

1:6

Sheet: 1 of 2

11/01/23

Hydro-Generator Powered, Stainless Steel Flexible Supply Hoses & 3/8" Compression Inlets

JRM

Approved:

JHB

Date:

Drawn:

DMH

Checked:




T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3142-HG

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



ITEM NO.	SALES NO.	DESCRIPTION
1	B-0199-08	VR 2.2 GPM Aerator, 13/16-27 UN Male w/ Key
2	020330-45	Solenoid Valve, M22 x 2 Male Thd
* 3	020417-45	Aux. Power Connector Cable
* 4	5EF-0002C	AC Adapter - US Plug
5	019087-45	6VDC Lithium Battery, CR-P2
* 6	020270-45	Lever Asm & Body Screw Kit w/ L-Key
7	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
8	EC-HYDROGEN	HydroGenerator Power Supply
9	017506-45	Swivel Coupling
10	019564-45	Check Valve Adapter, 3/8" Comp.
11	018544-45	SS Flex Hose w/ Check Valve Adapter
* 12	020426-40	Body Plug, Pre-Set Temperature

* For Versions Prior to 2024, Consult with T&S Customer Service



Optional Plug When Pre-setting Temperature (Installs from Inside of Body)



015425-45 VR Aerator Key





020760-45 Sensor Range Set-Up Magnet

Flow Control Switches are Located Behind the Sensor. Switches are set to DEFAULT position:

- Auto Time Out = 15 seconds
- Shut Off Delay = 1 second
- Auto Flush = OFF

8

9

- Metering Mode = OFF

Available Water Flow Control Selections:

- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
- Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF
- Metering Mode = ON or OFF

Product Specifications:

Chrome Plated Brass Above Deck Electronics Faucet, Single Hole Deck Mount, Cast Spout, 2.2 GPM VR Aerator, Point-of-Use Temperature Control, Hydro-Generator Powered, Stainless Steel Flexible Supply Hoses & 3/8" Compression Inlets

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: DMH Checked: JRM Approved: JHB Date: 11/01/23 Scale: NTS Sheet: 2 of 2